AUTHOR INDEX

Bovey, F. A., 1
Braunsteiner, E. E., 83
Cernia, E. M., 127
Mark, H. F., 83
Rio, A., 127
Yannas, I. V., 163

SUBJECT INDEX

ABS resins, 123
N-Acetyl-*N*-methyl-L-alanine methyl ester, 55–56
N-Acetylsarcosine dimethylamide, 55
N-Acetylsarcosine methyl ester, 52–53
N-Acetyl-(s)-thiazolidine-4-carboxylic acid methyl ester, 74
Adherence, 132
Aggregates, 133
Amino acids, ^{13}C chemical shifts, 12–13
  ^{1}H chemical shifts, 9–12
  titration, 9–12
Ammonium group, ^{1}H, 9–10
Antibiotics, 2
Anti, definition of, 52
Autoclave, 156
Birefringence, time-dependent, 167
tert-Boc-glycyl-L-proline, 58
Boltzmann integral, 163
  modifications, 175, 176
  significance of functional representation, 174, 175
Broadening, of polypeptide NMR peaks, see linewidth
Carboxyl group, ^{1}H, 9–10
CAT (computer of average transients), 8
Catalysts, 145
Cement, in PIC, 133
  special, 158
Chemical film casting, 96
Chlorostyrene, properties of, 89
  synthesis of, 89
  uses, 89
Circular dichroism, 18
^{13}C NMR, 8, 15–18, 25–37, 59–63, 71–74
  chemical shifts, 9
  ^{1}H coupling, 15–16
  in *cis–trans* meas., 59–60, 62–63
  in polypeptide helix-coil transition, 25–32
  relaxation, 16–18
  T_1, 8, 33–37, 71–74
Coating, 142
Compound materials, classification, 129
Concrete, in PIC, 133
  structure, 146
cis' Conformation, in polyproline, 63–66
trans' Conformation, in polyprollne, 63–66
Connective tissues, nonlinear viscoelasticity of, 171
Copolypeptides, NMR of, 30, 66–68
Correlation time, 17–18
  meas. of, 33–37, 71–74
τ Correlation time, see correlation time
Coupling agents, 123
Creep, 152
Crosslinking agents, 133, 145, 155
Cyclo-tri-L-prolyl, 68–69
D (deuterium), see ^{2}H
Decoupling, ^{1}H-^{13}C, 8–9
N,*N*-Dialkyl amides, as peptide models, 51–52, 56, 59–60
Diamines for synthesis of polyamides, 94
  properties of, 95
Dianhydrides for synthesis of polyamides, 94
Dielectric relaxation, in helix-coil transition, 37
φ' Dihedral angle, 13–15
N,*N*-Dimethylformamide, 52
2,5-Dimethylphenol, polymerization of, 96
2,5-Diphenylphenol, polymerization of, 96
D_2O, NH exchange, 9
  relaxation, 34–35
Drying, 140
Economic evaluation, 161
Elastic, modulus, 132
  properties, 151
Epoxy resins, synthesis of, 122
  uses, 122
Evaporation losses, 143
Fiber formers, 92
Fiber from aromatic polyamides, properties of, 120
Filling, 149, 158
Film formers, 92
Fluorosulfonic acid, polypeptide protonation by, 38
Fourier transform NMR, 8
Frost, 132
Gel pores, 146
Glass transition temperature, nonlinear behavior below and above, 164–169
Graphite fibers, properties of, 120
^{2}H (deuterium), 9, 34, 35
  relaxation, 34–35
α-Helix, 2, 5–8, 18–32, 37–43
  helix-coil transition, 18–32
    J couplings of, 4, 32–33
    time-scale, 37–43
  in oligopeptides, 45–47
Helix-coil transition, see α-helix
Histidine, titration, 9–11
^{1}H NMR of polypeptides, 9–75
  see also specific entries
Hormones, 2
Hydration, and porosity, 146
  temperature, 156
Impregnation, degree, 155
  general, 141
Infrared dichroic ratio, polycarbonate, 185
Ion-exchange resins, 124
Ionophores, 2
Ising lattice, as helix-coil model, 43

J coupling, 9, 13–16, 32–33
Karplus function, 13–15, 44–45
Ladder polymers, structure of, 106, 107, 110, 112, 118
Linear viscoelasticity, in processing and design, 169–172
  isochronous stress-strain linearity, 164
  limits below and above T_g, 164–169
  strain limits, 167, 168, 169
  stress limits, 169
Linewidth, of polypeptide ^1H spectra, 18–24, 44
Liquid crystal state, of polypeptides, 20
L-Lysine oligomers, T_1 measurements, 34–37
α-Methylstyrene, polymerization of, 89
  properties of, 88
  synthesis of, 88
Molecular weight distribution, 40–41, 43
Monomer, addition, 129
  load, 151, 158
  properties, 134
  used for impregnation, 133, 135
^{14}N, 9, 15
^{15}N, 9
  ^{15}N-^1H J coupling, 9, 15
Natural rubber, viscoelastic behavior, linearity limits of, 167, 168, 169
Nitrogen absorption, 146, 157
Nonlinear viscoelasticity, 163–190
  Boltzmann integral modifications, representations for, 175, 176
  detection of, 165–167
  effect on shift factors of, 178, 179
  empirical characterization of, 172–174
  Green-Rivlin-Spencer-Nakada theory of, 176–185
  in creep, 165, 170, 171, 172, 175, 176, 177, 178
  in design with polymers, 169–172
  in mechanical-optical tests, 166–167
  in polymer processing, 169–172
  in stress relaxation, 166, 167, 170, 171, 173
  loading (test) programs for, 172, 178, 181, 186
  theoretical representations for, 174–188
  thermodynamic theory of, 176
  white Gaussian load input, use in study of, 186, 187
Novolacs, 121
Nuclear Overhauser effect (NOE), 9, 17–18
Nuclear relaxation, 16–18, 33–37, 50
  ^{13}C, 33–37
  ^1H, 34
  ^2H (D), 34–35
Nucleation, of helix-coil transition, 37, 39–43
Nylon 66, viscoelastic behavior, linearity limits, 168
Oligopeptides, 45–48
Organic polymers, selection for PIC, 134
cis Peptide bond conformation, 3–6, 51–66
  see also individual polypeptides
trans Peptide bond conformation, 3–6, 51–66
  see also individual polypeptides
Permeability, 148
Phenol-formaldehyde resins, 121
  uses, 122
Phenylene polysulfones, 99
  properties of, 99
Phenylene polysulfoxides, 99
  properties of, 99
Photomechanical stress analysis, effect of nonlinear viscoelasticity on, 170, 171
Photoviscoelastic behavior, linearity limits of, 167
PIC, applications, 158
  definition, 131
  properties, 132, 146
Planar zigzag, 3, 58
Plastics, viscoelastic behavior, linearity limits, 169
Polyacrylonitrile, viscoelastic behavior, linearity limits, 168
Poly-L-alanine, 6, 24, 26, 38–39, 41–42
Poly-D,L-amino acids, 38, 48–50
Poly-L-arginine, 26
Poly(benzimidazophenanthrolines), 112
Poly(benzimidazoquinazolines), synthesis of, 114
Poly(benzimidazoquinazolones), synthesis of, 115
Polybenzothiazoles, aromatic, properties of, 111
Poly-β-benzyl L-aspartate, 24, 26
Poly-γ-benzyl D,L-glutamate, 50
Poly-γ-benzyl L-glutamate, 13–28, 40, 50
  ^{13}C NMR, 24–25
  ^1H NMR, 19–24, 26
Poly-γ-*tert*-butyl D,L-glutamate, 50
Poly-*N*-*n*-butylglycine, 55
Polycarbobenzyloxy-L-ornithine, 26
Polycarbonates, 93
Polycarbonate, viscoelastic behavior, 167, 184, 185
  applicability of GRSN theory to, 185
  infrared dichroic ratio, 185
  mechanical linearity limits, 167, 169
  optical linearity limits, 167
Polychlorostyrene, uses, 89
Polyester fibers, properties of, 92
Polyethers, aromatic, properties of, 97
  uses, 97
Polyethylene, viscoelastic behavior, 179, 186
Poly(ethylene terephthalate), as film and fiber former, 92
  viscoelastic behavior, 168
  linearity limits, 168
Poly-γ-ethyl L-glutamate, 20, 46–48

Poly-*N*-ethylglycine, 55
Poly-L-glutamic acid, 26, 30, 31, 34, 35
Poly(Gly-Gly-Pro-Gly), 67–68
  T_1 and correlation times, 71–74
Polyheteroaromatics from aromatic aminocarboxylic acid, 109
Poly-L-hydroxyproline, 65–66
  ring conformation, 70–71
  T_1 and correlation times, 71–74
Poly-N^5-3-hydroxypropyl-L-glutamine, 26
Poly(Hyp-Gly), 65–67, 71
  T_1 and correlation times, 71–74
Poly(imidazopyrrolones), 113
Polyimides, linear, synthesis of, 104, 105
Poly(indolquinoxalines), synthesis of, 116
Polyisobutylene, viscoelastic behavior, linearity limits, 167, 168, 169
Poly(isoindolquinazolinediones), structures of, 114
Poly-L-leucine, 22, 26
Poly-L-lysine, 8, 26, 30, 31–32, 34–36
  T_1 measurements, 35–37
Polymerization, 143
Polymers, 128
Poly-L-methionine, 24, 26
Poly-*N*-methylalanine, 51, 55–57
Poly-δ-methyl L-aspartate, 22, 24
Poly(α-methylstyrene), 89
Poly-D-norleucine, 26
Polypeptides, ^{13}C chemical shifts, 11–13
  ^1H chemical shifts, 9–12
  helix-coil transition, 19–32
  scalar couplings, 13–16
D,L-Polypeptides, see poly-D,L-amino acids
Poly-D,L-phenylalanine, 49
Poly-L-phenylalanine, 24
Polyphenylenes, properties of, 102, 103
  synthesis of, 100, 102, 103
  uses, 103
Poly(phenyl triazoles) films, properties of, 111
Polyphosphoric acid, as polymerization medium, 105, 110, 112, 116
  composition of mixtures, 105
Poly(Pro-Gly), 65–68, 71
  T_1 and correlation times, 71–74
Poly-L-proline, 4, 8, 30, 44, 51, 57–66
  form I, 4, 57–58, 62–64
  form II, 4, 30, 58, 62–64
    ring conformation, 68–71
    T_1 and correlation times, 71–74
  oligopeptides, 58–59
Polypropylene, viscoelastic behavior, 165, 167, 168, 177, 178, 186
Poly-*N*-*n*-propylglycine, 55
Poly(quinazolinoquinazolones), 116
Poly(quinolines), synthesis of, 117
Polysarcosine, 51–55
Polysoaps, 90
Polystyrene, synthesis of, 85, 86
  uses, 86
Polystyrene, atactic, properties of, 87
Polystyrene, crystal, properties of, 87
Polystyrene, impact, properties of, 87
Polystyrene, isotactic, properties of, 87
Polysulfides, aromatic, properties of, 98
  synthesis of, 98
  uses, 98
Poly-(S)-thiazolidine-4-carboxylic acid, 74–75
Poly-L-γ-thioproline, 74–75
Polyurethanes, synthesis of, 123
  uses, 123
Poly-D,L-valine, 49
Poly-L-valine, 49
Poly(vinylcarbazole), 91
Poly(vinyl chloride), viscoelastic behavior, 179
Poly(vinylpyridines), 90
  uses, 91
Pores, and temperature, 156
  distribution, 142
Porosity, 142, 149
  and hydration, 146
  coarse, 148
  in concrete, 134
Pressure for impregnation, 141
Protonation, chemical shift effects, 10–12
  of polypeptides, 38–39
Pyropolymer, 110, 117
Quadrupole moment of ^{14}N, 9, 15
Radiant energy, 131
  for polymerization, 144
Ramachandran map, 5, 6
Random coil polypeptides, ^{13}C NMR, 24–28, 30–32
  ^1H NMR, 19–24, 37–43
Reinforced concrete, 132
Relaxation, nuclear, see nuclear relaxation
Resin addition, 130
Resoles, 121
Rheo-optical properties, time-dependent, 167
Ribonuclease, T_1 of lysine residues, 36–37
φ Rotational angle, 2–6, 13–14, 16
χ_1 Rotational angle, 43–45, 68–71
ψ Rotational angle, 2–6, 14, 16
ω Rotational angle, 2–6, 16
Rubbers, viscoelastic behavior, linearity limits, 168, 169
SBR rubber, 123
Scalar couplings, 9, 13–16, 32–33
Sea water, 139
β-Sheets, 2
  see also β-structures
Side-chain conformation, 43–45
Solvent additives, 95
Solvents for polyamides and polyesters, 95
Spinning of fibers, 93, 96
Strain-optical function, nonlinearity in, 167

Strength, 130
  and porosity, 149
  chemical, 154
  compressive, 132
  equations, 149
  tensile, 132
Stress-strain curve, 152
β-Structures, 2, 4, 5, 8, 30, 45
Styrene, polymerization of, emulsion, 86
    mass, 85
    solution, 85
    suspension, 86
  properties of, 85
Syn, definition of, 52
T_1, ^{13}C, 8, 33–37, 71–74
  ^1H, 34
T_2, 34, 43
Technology for PIC, 139
Temperature jump, in helix-coil transition, 37
Terephthalic acid, 91, 92
Thermal treatment, 140
Thermocatalytical, polymerization, 145
  process, 131, 154, 156
Time invariance, 164, 176, 179, 180, 188
Tobermoritic gel, 146
Toxins, 2
n-π^* Transition, 46
Trifluoroacetic acid, in helix-coil transition, 20–27, 38–39, 41–42, 46–50, 55
Ultrasonic relaxation, in helix-coil transition, 37
Vacuum treatment, 140
L-Val-Gly-^{15}N, 9
Vapor pressure, 135
N-Vinylcarbazole, polymerization of, 91
Vinylpyridines, 90
  uses, 91
Vinyl quinolines, 90
Vinyl toluene, polymerization of, 88
  properties of, 88
  uses, 88
Viscoelasticity, linear, 163
  nonlinear, 163
Viscose rayon, viscoelastic behavior, 168, 173, 174, 183
  linearity limits, 168
Viscosity, 141
Water, free, 140
  in concrete, 134
Water/cement ratio, 134
  and cement paste, 149
  low, 155
Water polymerization, 143